

TOPPSALEN MUNCH

TECHNICAL SPECIFICATIONS - LAST UPDATED July 2024



TECHNICAL CONTACTS

Technical Manager

Lasse Baklien

lasse.baklien@munchmuseet.no

0047 959 91 1723

Head of Sound / Video

Eivind S Johnsen

Eivind.sten.johnsen@munchmuseet.no


Head of Lights

Tara Fox

tara.fox@munchmuseet.no

ROOM DIMENSIONS

L= 14 m
W= 8,5 m
H= 6,1 m



STAGE

Scalable Nivtec system.
6 x Nivtec modules 2x1 m
3 x Nivtec modules 1x0,5 m
Legs: 20cm, 40cm and 60 cm
All necessary railing

Standard stage size:

Width: 4m
Depth: 2m
Height: 0,4m

No sidestage!

SOUND

SOUNDSYSTEM/PA:

Tops: 2x Meyer X40, pr side
1x Meyer LFC 750 pr
side (flown)
Subs: 1x Meyer x40 pr side
Front fill:

Wireless system:

2channel Sennheiser

2x Headset mics

2x HH mics

FOH:

Alt1: Allen & Heath Dlive S5000

Alt2: Allen & Heath Dlive S2500

Alt3: Allen & Heath Dlive C1500

Stagerack:

Allen & Heath CDM 48 (48 in , 16 out)

4x A&H DX 168 (16

in, 8 out)

External FX:

2x Bricasti M7

Recording:

We can provide different versions of recording.

Please contact head of sound for further details
and agreements

PROJECTION/AV

Projector 1 (Short side / stage end):

Panasonic RQ 22

Screen size: 442 X 276cm

Format: 16:10

Projector 2 (Long side):

Panasonic RQ-10

Screen size: 449 X 280cm

Format: 16:10

HD BASE-T, Connection HDMI available at
FOH, stage and in every patch around the
room

LIGHTS

Control:

1x GrandMA3
compact

Lumineers:

12X Bright XLED
(floor)
12X Bright XLED
(roof)
8X Martin Aura
XB

Smoke / Haze:

N/A

HOUSE POWER

DELTA-system 400V/50Hz (red); 3 phases + ground,
- but no neutral.


230V between the three phases. 130V between
phases and earth.

Available connectors:

2x 32 A , 400 V

RIGGING

5 X 35 mm, Pipes mounted in ceiling.
WSL = 100kg / meter



FLOATING KITS

All items are subject to availability.

Contact technical department for solutions and availability.

MONITORS:

8 programs with possibility of adding 8 more

Separate monitor mix available on request.

Wedges:

16x Turbosound TFM 122

Amps:

8x LAB IPD 2400

Mics/DIS:

Shure B91	2
Shure B52	2
Shure SM58	14
Shure SM57	10
Shure KSM44A	2
DPA 2011	10
DPA 4099	10
DPA 6061	4
Audio Technica ATM350	6
Audio Technica AT4050	2
Audio Technica AE3000	2
Audio Technica AT4081	4
Audio Technica AE5400	1
Audio Technica ATM450	1
Audio Technica ATM650	1
Beyerdynamic M 160	4
Beyerdynamic M 88 TG	2
Beyerdynamic M 201 TG	2
Sennheiser MD441-U	2
AKG C411	6
AKG C414 XLS	8
Yamahiko CPS-PF1P Tone Plug model	2
Radial PZ-DI	2
Klark Teknik DN100	24
Electrovoice RE20	1
Telefunken M80	1

ADDITIONAL LIGHTS

All items are subject to availability.

Contact technical department for solutions and availability.

Type:	Qty:
4 lights LED	4
Astera AX 1-Pixeltube	16
Quartzcolor studio LED X3plus	6
Bright XBAR	23
XLED HD	19
AMAC AURA XB	6
Martin Atomic 3000 LED	4
BRIGHT XLED FX	4
Quartzcolor Fresnel HMI 1200w	6
Aria f 1000 plus	4

WIRELESS SYSTEM

Shure Axient, 8 ch

8x ADX 1m bodypack

8 x countryman headsetmics

4x SM 58 WL

4X KMS9 WL

DJ EQUIPMENT:

1x Pioneer DJM 900 NX

2x Pioneer CDJ 2000 NX

2x Pioneer PLX-1000

VIDEO /RECORDING

Equipment for videoproduction, recording and/or stream is available on request.

Please contact technical manager for details on equipment and solutions.

PA SYSTEMS

Type:	Qty:
Meyer X 40 Top	6
Meyer 750 sub	4
Genelec	

RIGG

4x Manfrotto 087NWB

SCREENS

Samsung 75" on stand

Samsung 32" stage monitor